

Contents of *Aquatic Botany*, Volume 79

VOL. 79 NO. 1

MAY 2004

Seedling development and patch formation of the seagrass <i>Posidonia australis</i> in a southeast Australian estuary A.J. Meehan and R.J. West (Wollongong, Australia)	1
The role of temperature in the regulation of dormancy and germination of two related summer-annual mudflat species M. Brändel (Kiel, Germany)	15
Monitoring submersed vegetation in a mesotrophic lake: correlation of two spatio-temporal scales of change J.E. Titus, D. Grisé, G. Sullivan and M.D. Stephens (Binghamton, NY, USA)	33
Latitudinal variation in tuber production in an aquatic pseudo-annual plant, <i>Potamogeton pectinatus</i> L. Santamaría and A.I.L. García (Maarssen, The Netherlands)	51
Submersed macrophyte growth at low pH: contrasting responses of three species to dissolved inorganic carbon enrichment and sediment type A.M. Pagano and J.E. Titus (Binghamton, NY, USA)	65
Variation in inter-simple sequence repeat (ISSR) in mangrove and non-mangrove populations of <i>Heritiera littoralis</i> (Sterculiaceae) from China and Australia S. Jian, T. Tang (Guangzhou, PR China), Y. Zhong (Shanghai, China) and S. Shi (Guangzhou, PR China)	75
Short communications	
Within and among-site variability in $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ for three estuarine producers, <i>Sporobolus virginicus</i> , <i>Zostera capricorni</i> , and epiphytes of <i>Z. capricorni</i> M.A. Guest, R.M. Connolly (Griffith University, Australia and Indooroopilly, Australia) and N.R. Loneragan (Cleveland, Australia and Indooroopilly, Australia)	87
Internal variations in nutrient concentrations and the C and N stable isotope ratios in leaves of the seagrass <i>Enhalus acoroides</i> M. Yamamuro (Tsukuba, Japan), Y. Umezawa and I. Koike (Tokyo, Japan)	95
Guide for Authors	103

VOL. 79 NO. 2

JUNE 2004

Light acclimation of photosynthesis in three charophyte species A. Küster, R. Schaible and H. Schubert (Rostock, Germany)	111
High light stress in the kelp <i>Ecklonia cava</i> M. Altamirano, A. Murakami and H. Kawai (Hyogo-ken, Japan)	125
Structure and litterfall of an arid mangrove stand on the Gulf of California, Mexico J.A. Arreola-Lizárraga (Sonora, Mexico), F.J. Flores-Verdugo (Sinaloa, Mexico) and A. Ortega-Rubio (La Paz, Mexico)	137

Shoot morphometry and production dynamics of eelgrass in the northern Baltic Sea C. Boström, C. Roos and O. Rönnerberg (Åbo, Finland)	145
Plant regeneration via somatic embryogenesis in the brackish wetland monocot <i>Scirpus robustus</i> J. Wang, D.M. Seliskar and J.L. Gallagher (Lewes, DE, USA).	163
Charophyte germination and establishment under low irradiance M.D. de Winton (Hamilton, New Zealand), M.T. Casanova (Armidale, Australia) and J.S. Clayton (Hamilton, New Zealand)	175
Water velocity and irradiance effects on internal transport and metabolism of methane in submerged <i>Isoetes alpinus</i> and <i>Potamogeton crispus</i> B.K. Sorrell and M.T. Downes (Christchurch, New Zealand)	189

VOL. 79 NO. 3**JULY 2004**

Allozyme polymorphism and conservation of the Lake Kasumigaura population of <i>Nymphoides peltata</i> R. Uesugi (Tokyo, Japan), K. Goka (Ibaraki, Japan), J. Nishihiro and I. Washitani (Tokyo, Japan)	203
Modeling growth and carbon allocation in two reed beds (<i>Phragmites australis</i>) in the Scheldt estuary K. Soetaert (Yerseke, The Netherlands), M. Hoffmann (Brussels, Belgium), P. Meire (Wilrijk, Belgium), M. Starink, D. van Oevelen (Yerseke, The Netherlands), S.V. Regenmortel and T. Cox (Wilrijk, Belgium)	211
Effects of simulated herbivory on nitrogen enzyme levels, assimilation and allocation in <i>Thalassia testudinum</i> J.F. Valentine, E. Fennel Blythe (Dauphin Island, AL, USA and Mobile, AL, USA), S. Madhavan (Lincoln, NE, USA) and T.D. Sherman (Mobile, AL, USA)	235
Growth and resource allocation of water hyacinth as affected by gradually increasing nutrient concentrations Y. Xie, M. Wen, D. Yu and Y. Li (Wuhan, PR China)	257
Gas exchange responses of the wetland plant <i>Schoenoplectus hallii</i> to irradiance and vapor pressure deficit M. Smith (Edwardsville, IL, USA) and J.L.J. Houppis (Chico, CA, USA).	267

VOL. 79 NO. 4**AUGUST 2004**

Amino acids as indicators of physiological stress in common reed <i>Phragmites australis</i> affected by an extreme flood H. Koppitz, M. Dewender (Berlin, Germany), W. Ostendorp (Konstanz, Germany) and K. Schmieder (Stuttgart, Germany)	277
Modelling of the long-term competition between <i>Typha angustifolia</i> and <i>Typha latifolia</i> in shallow water — effects of eutrophication, latitude and initial advantage of belowground organs N. Tanaka, T. Asaeda, A. Hasegawa and K. Tanimoto (Saitama-ken, Japan)	295
Effects of water level and phosphorus enrichment on seedling emergence from marsh seed banks collected from northern Belize S. Johnson (Davis, CA, USA).	311
A triploid cytotype of <i>Echinodorus tennellus</i> J.Y. Costa and E.R. Forni-Martins (Campinas, Brazil).	325
Germination characteristics of lakeshore plants under an artificially stabilized water regime J. Nishihiro, S. Araki (Tokyo, Japan), N. Fujiwara (Ibaraki, Japan) and I. Washitani (Tokyo, Japan)	333

Patterns of spatial variability in epiphytes of <i>Posidonia oceanica</i> . Differences between a disturbed and two reference locations L. Piazzzi, D. Balata, F. Cinelli and L. Benedetti-Cecchi (Pisa, Italy)	345
Determinants of floating island vegetation and succession in a recently flooded shallow lake, Kis-Balaton (Hungary) I. Somodi (Budapest, Hungary) and Z. Botta-Dukát (Vácrátót, Hungary)	357
Contents of <i>Aquatic Botany</i>, Volume 79	367

